












the strongest link


DWV Large Diameter-PVC


PVC DRAIN – WASTE VENT FITTINGS


NSF-dwv

	PART NUMBER	SIZE (IN.)	QUANTITY		PRICE EACH \$		PART NUMBER	SIZE (IN.)	QUANTITY		PRICE EACH \$	
			PIECES PER CARTON	CARTONS PER PALLET					PIECES PER CARTON	CARTONS PER PALLET		
COUPLING						1/8 BEND						
 H x H	D100-100	10	1	27	119.47	 H x H	D321-100	10	1	12	271.61	
	D100-120	12	1	27	203.48		D321-120	12	1	12	373.75	
PIPE INCREASER - REDUCER						1/8 BEND, STREET						
 H x H	D102-626	10 x 6	1	27	305.32	 H x SP	D323-100	10	1	12	271.85	
	D102-628	10 x 8	1	27	203.76		D323-120	12	1	12	416.58	
	D102-668	12 x 8	1	27	311.18	VENT ELL						
	D102-670	12x10	1	27	338.68	 H x H	D331-100	10	1	12	307.35	
FLUSH BUSHING							D331-120	12	1	12	473.45	
 SP x H NEW!	D107-623	10 x 3	1	63	338.49	VENT ELL, STREET						
	D107-624	10 x 4	1	27	338.41	 H x SP	D333-100	10	1	12	306.98	
	D107-626	10 x 6	1	63	265.41		D333-120	12	1	12	473.45	
	D107-628	10 x 8	1	63	252.21	VENT TEE						
	D107-661	12 x 3	1	63	338.49	 ALL HUB	D441-100	10	1	12	395.48	
	D107-664	12 x 4	1	63	338.49		D441-120	12	1	9	657.46	
	D107-666	12x6	1	36	338.49		CAP					
	D107-668	12 x 8	1	54	348.31		 SLIP	D116-100	10	1	27	174.35
	D107-670	12 x 10	1	54	355.52	D116-120		12	1	27	220.56	
1/4 BEND						<div style="border: 1px solid black; padding: 5px;"> <ul style="list-style-type: none"> * Factory Assembled from 2 Molded Pieces ** Factory Assembled from 3 Molded Pieces • Factory Assembled from 4 Molded Pieces † Shipped Unassembled </div>						
 H x H	D300-100	10 *	1	4	323.69							
	D300-120	12 *	1	3	498.53							


	PART NUMBER	SIZE (IN.)	QUANTITY		PRICE EACH \$
			PIECES PER CARTON	CARTONS PER PALLET	
VENT TEE - REDUCING					
 ALL HUB NEW!	D441-624	10x 10 x4	1	12	253.91
	D441-626	10 x 10 x 6	1	12	350.49
	D441-628	10 x 10 x 8	1	12	350.49
	D441-664	12x 12 x4	1	6	343.31
	D441-666	12x 12 x6	1	6	391.99
	D441-668	12 x 12 x 8	1	6	448.35
	D441-670	12 x 12 x 10	1	6	534.99


CLEANOUT TEE + PLUG					
 H x H	D443-628	10 x 8	1	12	911.75
	D443-668	12 x 8	1	6	998.93

CLEAN OUT TEE					
 H x H x FPT NEW!	D445-628	10 x 8	1	12	754.79
	D445-668	12 x 8	1	6	846.82


RAISED PLUG					
 MPT	D106-060	6	10	48	**
	D106-080	8	5	80	**

**Reference standard DWV price sheet for pricing.


COMBINATION WYE + 1/8 BEND					
 ALL HUB NEW!	D503-100	10 †	1	2	1041.05
	D503-120	12 †	1	1	1212.02


COMBINATION WYE + 1/8 BEND					
 ALL HUB NEW!	D503-624	10 x 10 x 4	1	12	365.72
	D503-626	10 x 10 x 6	1	12	459.91
	D503-628	10 x 10 x 8	1	12	572.48
	D503-664	12 x 12 x 4	1	12	568.75
	D503-666	12 x 12 x 6	1	6	590.81
	D503-668	12 x 12 x 8	1	3	720.38
	D503-670	12 x 12 x 10	1	3	1067.40

↳ Includes 2 pieces


COMBINATION WYE + 1/8 BEND - REDUCING					
 ALL HUB NEW!	D504-626	10 x 10 x 6 †	1	4	459.91
	D504-628	10 x 10 x 8 †	1	4	572.48
	D504-668	12 x 12 x 8 †	1	3	720.38
	D504-670	12x12x10 †	1	3	1067.40


↳ Includes 3 pieces

	PART NUMBER	SIZE (IN.)	QUANTITY		PRICE EACH \$
			PIECES PER CARTON	CARTONS PER PALLET	
WYE					
 ALL HUB	D600-100	10	1	4	489.78
	D600-120	12	1	3	795.62

REDUCING WYE					
 ALL HUB NEW!	D601-624	10 x 10 x 4	1	4	278.99
	D601-626	10 x 10 x 6	1	4	361.89
	D601-628	10 x 10 x 8	1	4	428.25
	D601-664	12 x 12 x 4	1	3	432.09
	D601-666	12 x 12 x 6	1	3	471.78
	D601-668	12 x 12 x 8	1	3	560.28
	D601-670	12 x 12 x 10	1	3	627.44

Reducing WYEs are now molded as one piece!

COMBINATION WYE + 1/8 BEND - UPRIGHT					
 H x H x H NEW!	D605-100	10 x 10	1	6	1041.05
	D605-120	12 x 12	1	3	1212.02

COMBINATION WYE + 1/8 BEND - UPRIGHT					
 H x H x H NEW!	D605-624	10 x 10 x 4	1	12	365.72
	D605-626	10 x 10 x 6	1	12	459.91
	D605-628	10 x 10 x 8	1	12	572.48
	D605-664	12 x 12 x 4	1	12	568.75
	D605-666	12 x 12 x 6	1	6	590.81
	D605-668	12 x 12 x 8	1	3	720.38
	D605-670	12 x 12 x 10	1	3	1067.40

NOTE:

Dimensional Drawings in CAD format are available on our website support center:

www.lascofittings.com/supportcenter/LGCad.asp

- * Factory Assembled from 2 Molded Pieces
- ** Factory Assembled from 3 Molded Pieces
- Factory Assembled from 4 Molded Pieces
- † Shipped Unassembled

LASCO Fittings offers the following PVC fitting product lines:

Schedule 40
Schedule 40 - Large Diameter
Schedule 80
Schedule 80 - Large Diameter
Schedule 80 CPVC
Pool and Spa
LASCOtite
Inserts
Nipples

Swing Joint and Heavy Turf
Residential and Commercial
DWV
DWV - Large Diameter
Class 125 - Large Diameter
HVAC
Hotel Tees
Valves

More Great Products from LASCO Fittings

HVAC




Running Trap
(HRT series)



P-Trap
(HPT series)

Don't find yourself trapped by complicated and unreliable products. LASCO proudly announces the first ever injection molded Running Traps and P-Traps for HVAC. Since they are more compact, these products fit better in tighter locations and with less hassle, while still delivering paramount performance.



Clean-Out Tee
(H403 series)

LASCO's HVAC Clean Out Tee is designed for split systems and chilled-water air handlers. The Clean Out Tee is installed between the trap and air handler, which flushes water through to keep the trap and drain clean. It maintains a water seal. By keeping the trap clean, the pan stays clean. Installing a LASCO Clean Out Tee protects the customer's investment.



Drain Pan Fitting
(H434 & H436 series)

LASCO Fittings provides a series of Drain Pan Fittings consisting of an Adapter, Gasket and a Nut. These fittings are available in both FIPT (H434 series) and Slip (H436 series) as well as 3/4" and 1" sizes.


New Products



CPVC-CTS Fittings for use in hotel construction and other applications.

Hotel Transition tees (9801-334CTS and 9801-335CTS) are 3" Sch 80 CPVC IPS reducing tees with CPVC-CTS topouts. These tees are used to transition from the 3" CPVC IPS mainline in the hallway to the 1" or 3/4" CPVC CTS branch lines for each room.

Large Diameter Schedule 80 PVC fittings are used in various applications from Oil Fields to Cooling Towers, Waterparks to Olympic Sized Swimming Pools, the Petro-Chemical Industry, Waste Water Treatment, Industrial Manufacturing, Golf Courses, Pump Stations and many other applications.



LASCO® Fittings, Inc.

Headquarters

P.O. Box 116
414 Morgan Street
Brownsville, TN 38012
731/772-3180
800/776-2756
Fax: 731/772-0835

Service Centers

14820 Carmenita Road, Unit B
Norwalk, CA 90650
714/690-9679
800/995-2726
Fax: 714/736-1780

4780 Holly Street, Unit A
Denver, CO 80216
303/388-7204
888/388-5450
Fax: 303/388-7199

6800 Kingspointe Parkway, Suite 400
Orlando, FL 32819-8588
407/206-5705
800/437-3155
Fax: 407/515-6542

10350 Beaudin Blvd, Suite 600
Woodridge, IL 60517
(630) 597-0150
(888) 995-7414
Fax: (630) 597-0156

325 Lasley Avenue
Wilkes Barre, PA 18706-1424
570/301-1170
800/882-5462
Fax: 570/301-1176

1600 Kelly Blvd., Suite 130
Carrollton, TX 75006
972/417-0073
800/642-8104
Fax: 972/417-9733

8212 South 228th Street
Kent, WA 98032
425/272-0990
888/285-2726
Fax: 425/272-0995

Printed in U.S.A.
L10-DWVLD-5M 11/10
©2008 LASCO Fittings, Inc.

1. **Terms:** 2% 35 days, Net 45 Days.
2. **Freight:** FOB Lasco warehouses.
DWV Products Alone:
Prepaid on orders for fittings totaling \$1500 **net** for one shipment to a single destination within the contiguous United States.
Mixed Product Shipment (Pressure and DWV):
Prepaid on orders for fittings totaling \$1500 **net** for one shipment to a single destination within the contiguous United States.
3. **Minimum Order:** \$50 **net**. Smaller orders billed at this minimum charge.
4. **Claims** for shipping errors must be made within 15 days to Lasco. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. **Returns** will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise is subject to a 20% handling/restocking charge.
6. **Pricing** is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. **Offer to Sell** is not implied by possession of this or other Lasco Fittings price lists.

LIMITED WARRANTY

Lasco fittings are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of 3 years from date of installation. If Lasco fittings prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if Lasco fittings are not used strictly in accordance with Lasco's directions with respect to use and storage or if the fittings have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

- DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
- DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
- DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
- MODIFICATIONS OF FITTINGS VOID THE WARRANTY.

STANDARDS AND SPECIFICATIONS

ASTM D-2665 – Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings.

ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds.

ASTM D-3311 – Drain, Waste, and Vent (DWV) Plastic Fittings Patterns

MATERIAL – Lasco DWV Fittings are produced from PVC Type I, Cell Classification 12454-B.

PVC Fittings are listed by **NSF** (National Sanitation Foundation). Product is certified to the Uniform Plumbing Code™.



Visit our worldwide website
<http://www.lascofittings.com>